

RoHS Screening Analysis Report

Applicant:

Cactus Technologies Ltd Suite C 15/F Capital Trade Center 62 Tsun Yip Street Kwun Tong

Kowloon Hong Kong

Sample Description:
One (1) group of submitted samples said to be:

: Cactus USB Pen drive (KUxxxyR(I)-100) Sample Description

The symbol of xxx can be 0~9 or blank to

indicate the capacity of the drives. The symbol of y can be M or G, M: megabyte, G: gigabyte.

(1) Black plastic housing with silvery printing

Number: TWNC00185289

Date : Dec 22, 2010

Result

Pass

(2) White plastic label with black printing

(3) Transparent LED

(4) USB plug - silvery metal frame (5) USB plug - black plastic socket (6) USB plug - coppery metal pin

(7) PCBA (LED and USB plug were excluded)

Style/Item No. : KUxxxyR(I)-100

-100Series no.

Date Sample Received Dec 13, 2010 Date Test Started : Dec 13, 2010

Test Conducted:

As requested by the applicant, for details please refer to attached pages.

Conclusion:

Tested Samples

Screening components of

submitted samples

Standard

With reference to test method of

IEC 62321 edition 1.0:2008 chapter 6, screening by XRF spectroscopy and chemical confirmation test for

RoHS directive (2002/95/EC)

Remark:

As requested by the applicant, only components shown in this report were screened by XRF spectroscopy for 2002/95/EC. Other components were not screened in this report.

Chemical confirmation tests were conducted to verify the inconclusive results of XRF tests.

Authorized By:

On Behalf Of Intertek Testing Services

Taiwan Limited



K. Y. Liang Director

This report shall not be reproduced except in full, without the written approval of the laboratory.

Page 1 Of 7



Test Conducted

The RoHS screening analysis is performed by an Ed-XRF (energy dispersive X-ray fluorescence) analyzer. The analyzer determines the chemistry of a screened component by measuring the spectrum of characteristic X-ray emitted by different elements in the sample, which subjected to X-ray radiation. In the way the analyzer is able to determine which element in the periodic system that is present in screened components.

Determination of total value of regulated substances in electro technical products, elements of cadmium (Cd), lead (Pb), mercury (Hg), chromium (Cr) and bromine (Br) content were measured by XRF spectroscopy for RoHS restricted substances. The analyzer is therefore unable to determine if it is PBB, PBDE, Cr(VI) or non restricted bromine and chromium substances in the sample.

(I) Test Result Summary:

Screened	XRF Result			Chemical	
Component	Element	Screened Result (ppm)	Conclusion	Confirmation Result (ppm)	
	Cd	ND	Pass		
	Pb	ND	Pass		
(1)	Нд	ND	Pass	Not Tested	
	Cr	ND	Pass		
	Br	ND	Pass		
	Cd	ND	Pass		
	Pb	ND	Pass		
(2)	Нд	ND	Pass	Not Tested	
	Cr	ND	Pass		
	Br	ND	Pass		
	Cd	ND	Pass		
	Pb	ND	Pass		
(3)	Hg	ND	Pass	Not Tested	
	Cr	ND	Pass		
	Br	ND	Pass		
(4)	Cd	ND	Pass		
	Pb	ND	Pass		
	Нд	ND	Pass	Not Tested	
	Cr	ND	Pass		
	Br	NA	NA		



Test Conducted

(I) Test Result Summary:

Screened	XRF Result			Chemical	
Component	Element	Screened Result (ppm)	Conclusion	Confirmation Result (ppm)	
	Cd	ND	Pass		
	Pb	ND	Pass	PBBs:ND	
(5)	Hg	ND	Pass	PBDEs:ND	
	Cr	ND	Pass	FDDES.ND	
	Br	>300	Inconclusive		
	Cd	ND	Pass		
	Pb	ND	Pass		
(6)	Hg	ND	Pass	Not Tested	
	Cr	ND	Pass		
	Br	NA	NA		
(7)(#)	Cd			Cd:ND	
	Pb			Pb:8	
	Нд			Hg:ND Cr ⁶⁺ :ND	
	Cr			PBBs:ND	
	Br			PBDEs:ND	

Remarks: ppm = Parts per million = mg/kg

ND = Not detected and pass, the screened sample is found

to be under detection limit of table ${\rm I\hspace{-.1em}I\hspace{-.1em}I}$.

> = More than

Inconclusive = the screened component may have potential non-

compliance and confirmation testing by wet chemical analysis may be desired to obtain a

quantitative result.

Pass = The screened component is found to be pass and below

the lower screening threshold limit of table ${\rm I\hspace{-.1em}I}$.

NA = Not applicable

= Samples were ground and randomly selected for test.



Test Conducted

(${\rm II}$) XRF screening limits in mg/kg for regulated elements in various matries.

Element	Polymer Materials	Metallic Materials	Composite Materials
Cd	$P \le 70 < x < 130 \le f$	$P \le 70 < x < 130 \le f$	$P \le 70 < x < 150 \le f$
Pb	$P \le 700 < x < 1300 \le f$	$P \le 700 < x < 1300 \le f$	$P \le 500 < x < 1500 \le f$
Нд	P ≤ 700 < x < 1300 ≤ f	P ≤ 700 < x < 1300 ≤ f	$P \le 500 < x < 1500 \le f$
Cr	P ≤ 700 < x	P ≤ 700 < x	P ≤ 500 < x
Br	P ≤ 300 < x	Not applicable	P ≤ 250 < x

P = Pass

X = Inconclusive result

F = Fail

mg/kg = Milligram per kilogram = ppm

 $(\ensuremath{\mathbb{II}})$ Estimated detection limits in mg/kg for regulated elements in various matrices.

Element	Polymer Materials	Metallic Materials	Composite Materials
Cd	50	70	70
Pb	100	200	200
Hg	100	200	200
Cr	100	200	200
Br	200	Not Applicable	200

Disclaimers:

The numerical test data of this XRF screening report is for reference purposes only due to the data variation incurred from various factors as described in next paragraph. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The results shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



Test Conducted

(IV) Test Method

Testing Item	Testing Method	Reporting Limit
Cadmium (Cd) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Lead (Pb) content	With reference to IEC 62321 edition 1.0:2008 in clause 8/9/10, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Mercury (Hg) content	With reference to IEC 62321 edition 1.0:2008 in clause 7, by microwave digestion until the tested samples are totally dissolved and determined by ICP-OES.	2 ppm
Chromium VI (Cr ⁶⁺) content	With reference to IEC 62321 edition 1.0:2008 in annex C, by alkaline digestion and determined by UV-Vis spectrophotometer.	1 ppm
Polybrominated Biphenyls (PBBs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MSD and further HPLC confirmation when necessary.	5 ppm
Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321 edition 1.0:2008 in annex A, by solvent extraction and determined by GC-MSD and further HPLC confirmation when necessary.	5 ppm

Remark: Reporting Limit = Quantitation limit of analyte in sample



Test Conducted

(V) RoHS Requirement:

Restricted Substances	Limits	
Cadmium (Cd)	0.01% (100 ppm)	
Lead (Pb)	0.1% (1000 ppm)	
Mercury (Hg)	0.1% (1000 ppm)	
Chromium (VI) (Cr ⁶⁺)	0.1% (1000 ppm)	
Polybrominated Biphenyls (PBBs)	0.1% (1000 ppm)	
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 ppm)	

The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.

End Of Report



Test Conducted

Photo











